

DrayTek

Vigorous Networking Solution for SMEs



DrayTek

Founded in 1997, DrayTek Corporation is a Taiwan-based manufacturer of networking equipment and management systems. From ISDN, VDSL to LTE, DrayTek has always been striving to provide SMBs and professional with reliable, fast and secure connections. Our mission is to deliver high-quality and high-integrated networking services at an affordable price and be your reliable networking solution partner.

Contents

Router	Broadband	3-4
	xDSL	5-8
	PON	8
	Cellular	9-11
Wireless AP	Desktop	12
	Ceiling Mount	13-14
	Outdoor	14
Switch	Unmanaged	15
	Smart Lite	15-16
	Web Smart	17
	L2+ Managed	17-20
Software / Tools		21-22
Accessories		23-24
Feature Matrix		25-34



Vigor2136 Series

2.5G VPN Security Router



Vigor2136 Series is a broadband VPN router, featuring 2.5G WAN port to deliver fast speed that meets the growing network demands of business. It delivers up to 2.3 Gbps performance without sacrificing bandwidth control features. The router is equipped with business-grade features, including web content filtering, Route Policy, App-based QoS, and more.

- 2.5G Ethernet WAN
- 50K NAT Sessions
- 4 Concurrent VPN
- Enhanced Security with IAM

	WLAN
Vigor2136	
Vigor2136ax	•

Vigor2927 Series

Dual-WAN VPN Firewall Router



Vigor2927 Series is a dual-Ethernet WAN firewall router, providing load-balancing and failover for your business continuity. Featuring VPN, QoS, route policy, firewall, content filtering, bandwidth management, captive hotspot portal, and a lot more, this is the ultimate router that does it all for SMB.

- Dual Gigabit Ethernet WANs
- 60K NAT Sessions
- 50 Concurrent VPN

	WLAN	VoIP
Vigor2927		
Vigor2927ac/ax	•	
Vigor2927Vac	•	•

Vigor2962

High Performance Multi-WAN Router



Vigor2962 is a high performance and dynamic firewall router with configurable WAN/LAN ports. With the selection of 2.5GbE port, 1GbE Fiber port, and 2 of 1GbE ports, users can set 4 of the ports as WAN for load balancing/failover purpose.

- 3 Ethernet WANs
- 1 GbE/SFP Combo Port
- 300K NAT Sessions
- 200 Concurrent VPN

Vigor3912 Series

10G High-Performance Router

Vigor3912 is designed for bandwidth-demanding networks, featuring a 2GHz Quad-Core CPU for fast connection speed, even with multiple connected devices. The router has 8 WAN interface, including 2x 10G SFP+, 2x 2.5G Ethernet, and 4x 1G Ethernet, providing ultra-fast NAT throughput. Port1 to port8 are configurable independently for WAN or LAN.

Vigor3912 Series can serve as a VPN server to establish LAN-to-LAN or remote dial-in VPN connections. It includes SMB-friendly features like VPN 2FA authentication and VPN from LAN, ensuring a more secure and efficient VPN network.

Vigor3912S comes equipped with 256GB SSD storage inside, supporting Linux applications with Docker. Suricata and VigorConnect are supported.

- 6 Gigabit Ethernet WANs
- 2x 10G SFP+ WANs
- 1000K NAT Sessions
- 500 Concurrent VPN
- 8GB RAM (DDR4)

	256GB SSD
Vigor3912	
Vigor3912S	•



Vigor166

G.Fast & VDSL2 35b Supervectoring Modem



Vigor166 is a G.fast modem/router, delivering fiber-like DSL speed up to 1 Gbps. The built-in DSL modem is backward compatible with VDSL2 profile 35b supervectoring and ADSL2+. With 1 RJ-11 port and 2 GbE LAN ports, It is also configurable to be a small yet powerful router, offering SPI firewall and content filtering by URL keywords and web features.

- 1 xDSL WAN for G.fast/VDSL2 35b
- Support G.fast
- 2 Gigabit Ethernet LAN
- 10k NAT Sessions

Vigor2765 Series

VDSL2 35b Supervectoring VPN Router



Vigor2765 Series is a VDSL2 35b supervectoring modem, a firewall, and a VPN router. The router has 4x GbE LAN port, one of which is switchable to be a backup WAN interface. It's highly configurable for an abundance of features including web content filtering, bandwidth limit, QoS and lots more, perfect for professional users who would like to take full control of the network.

- xDSL or Gigabit Ethernet WAN
- Built-in 35b/VDSL/ADSL Modem
- 50k NAT Sessions
- 2 Concurrent VPN



Vigor2765ax

	WLAN	VoIP
Vigor2765		
Vigor2765 ac/ax	●	
Vigor2765Vac	●	●

Vigor167

VDSL2 35b Supervectoring Modem



Vigor167 is a VDSL2 35b modem/router. It's equipped with 1 RJ-11 port and 2 GbE LAN ports, and delivers download speed up to 300 Mbps. The built-in DSL modem is backward compatible with ADSL2+. Vigor167 is router/modem (bridge) configurable. Vigor167 also supports TR-069 and can be managed by VigorACS3 for zero-touch deployment and remote management.

- 1 xDSL WAN for VDSL2 35b/ADSL2+
- Support VDSL2 35b
- 2 Gigabit Ethernet LAN
- 10k NAT Sessions

Vigor2766 Series

G.Fast VPN Router



Vigor2766 Series has one G.fast supported DSL WAN, delivering fiber-like link rate up to 1 Gbps, and one configurable Ethernet WAN for backup. The built-in DSL modem is backward compatible with VDSL2 profile 35b supervectoring and ADSL2+. Featuring VPN, QoS, route policy, firewall, content filtering, bandwidth management, captive hotspot portal, and a lot more.

- xDSL or Gigabit Ethernet WAN
- Built-in G.fast/35b/VDSL Modem
- 50k NAT Sessions
- 2 Concurrent VPN



Vigor2766ax

	WLAN	VoIP
Vigor2766		
Vigor2766 ac/ax	●	
Vigor2766Vac	●	●

Vigor2767 Series

VDSL2 35b Supervectoring VPN Router



Vigor2767 Series is a VDSL2 35b supervectoring modem, a firewall, and a VPN router. The router has 1x 2.5GbE LAN port which is switchable to be a backup WAN interface. It's highly configurable for an abundance of features including web content filtering, bandwidth limit, QoS and lots more, perfect for professional users who would like to take full control of the network.

- xDSL or Gigabit Ethernet WAN
- Built-in 35b/VDSL/ADSL Modem
- 50k NAT Sessions
- 4 Concurrent VPN

	WLAN
Vigor2767	
Vigor2767 ax	•

Vigor2866 Series

G.Fast Dual-WAN VPN Router



Vigor2866 Series is a dual WAN firewall router. It has one G.fast supported DSL WAN, delivering fiber-like speed up to 1 Gbps, and one configurable Ethernet WAN. The built-in DSL modem is backward compatible with VDSL2 profile 35b supervectoring and ADSL2+. Vigor2866 Series provides load-balancing and failover for your business continuity. Featuring VPN, QoS, route policy, firewall, content filtering, bandwidth management, captive hotspot portal.

- xDSL, Gigabit Ethernet WAN
- Built-in G.fast/35b/VDSL Modem
- 60k NAT Sessions
- 32 Concurrent VPN

	WLAN	VoIP
Vigor2866		
Vigor2866ac/ax	•	
Vigor2866Vac	•	•

Vigor2865 Series

VDSL2 35b Dual-WAN VPN Router



Vigor2865 Series is a VDSL2 35b/ADSL2+ Security Firewall router integrating a DSL modem which is compatible with variants of ADSL and VDSL, including profile 35b supervectoring. There is also a Gigabit Ethernet WAN port for broadband connections to share the traffic load or serve as a failover connection.

- xDSL, Gigabit Ethernet WAN
- Built-in 35b/VDSL/ADSL Modem
- 60k NAT Sessions
- 32 Concurrent VPN

	WLAN	VoIP
Vigor2865		
Vigor2865ac/ax	•	
Vigor2865Vac	•	•

Vigor1100Vax

GPON VPN Router



Vigor1100Vax is designed for fulfilling FTTH and triple play service demand of fixed network operators or cable operators. The box is based on the mature Gigabit GPON technology, which have high ratio of performance to price. It supports multi WAN connection of bridge or route, IPv4 and IPv6 protocol stack, multicast protocol, QoS and firewall function.

- GPON or Gigabit Ethernet WAN
- 50k NAT Sessions
- 2 Concurrent VPN
- 2 FXS

Vigor C410/C510 Series

Cellular VPN Security Router



Vigor C510ax

The VigorC410/C510 Series is a high-performance Cellular WAN Security Router. Designed as a primary WAN solution, it is set to operate in "Always On" mode by default, ensuring uninterrupted connectivity for business-critical operations. It is equipped with advanced features such as VPN, QoS, route policy, web content filtering, Identity and Access Management (IAM), hotspot web portal.

- Cellular, Gigabit Ethernet WANs
- Built-in Cellular Modem
- 50K NAT Sessions
- 4 Concurrent VPN

5G/LTE/WCDMA (5G model)

5G Mode	SA/NSA
5G Band	n1,3,7,8,20,28,38,40,77,78
5G Max. Data Rate	NR SA: 2.4Gbps (DL) / 900Mbps (UL) NR NSA: 3.4Gbps (DL) / 550Mbps (UL)
LTE FDD Band	B1,3,7,8,20,28
LTE TDD Band	B38,40
LTE Category	Cat19 (DL) / Cat18 (UL)
LTE Max. Data Rate	1.6Gbps (DL) / 200Mbps (UL)
WCDMA (3G) Band	B1,8

LTE/WCDMA (4G model)

LTE FDD Band	B1,3,7,8,20,28
LTE TDD Band	B38,40
LTE Category	6
LTE Max. Data Rate	300 Mbps (DL) / 50Mbps (UL)
WCDMA (3G) Band	B1,8

For other band availability, please contact your local DrayTek distributor or us.

	WLAN	4G	5G	VoIP*
Vigor C410		•		
Vigor C410ax	•	•		
Vigor C410V		•		•
Vigor C410Vax	•	•		•
Vigor C510		•	•	
Vigor C510ax	•	•	•	
Vigor C510V		•	•	•
Vigor C510Vax	•	•	•	•

*project based

Vigor2865L/2866L Series

Cellular xDSL VPN Router



Vigor2865Lax-5G

Vigor2865L/2866L Series is a G.fast (2866L)/VDSL2 35b/ADSL2+ firewall router with 2 embedded SIM card slots (1 SIM online at a time) . There is also a Gigabit Ethernet WAN port for broadband connection. Featuring VPN, QoS, route policy, firewall, content filtering, bandwidth management, hotspot web portal.

- Cellular, xDSL or GbE WAN
- Built-in G.fast (2866L)/35b/VDSL & Cellular Modem
- 60k NAT Sessions
- 32 Concurrent VPN

5G/LTE/WCDMA (5G model)

5G Band	n1,3,7,8,20,28,38,40,77,78
5G Max. Data Rate	NR SA: 2.4Gbps (DL) / 900Mbps (UL) NR NSA: 3.4Gbps (DL) / 550Mbps (UL)
LTE FDD Band	B1,3,7,8,20,28
LTE TDD Band	B38,40
LTE Category	Cat19 (DL) / Cat18 (UL)
LTE Max. Data Rate	1.6Gbps (DL) / 200Mbps (UL)
WCDMA (3G) Band	B1,8

LTE/WCDMA (4G model)

LTE FDD Band	B1,3,7,8,20,28
LTE TDD Band	B38,40
LTE Category	6
LTE Max. Data Rate	300 Mbps (DL) / 50Mbps (UL)
WCDMA (3G) Band	B1,8

For other band availability, please contact your local DrayTek distributor or us.



Vigor2865Lac

	WLAN	4G	5G
Vigor2865/2866L		•	
Vigor2865/2866Lac	•	•	
Vigor2865L-5G		•	•
Vigor2865Lax-5G	•	•	•

Vigor2927L Series

Cellular Dual-WAN VPN Router



Vigor2927Lax-5G

Vigor2927L Series is a dual-Ethernet WAN firewall router with 2 embedded SIM card slots (1 SIM online at a time). Featuring VPN, QoS, route policy, firewall, content filtering, bandwidth management, captive hotspot portal, and a lot more, this is the ultimate router that does it all for SMB.

- Cellular, Dual Gigabit Ethernet WANs
- Built-in Cellular Modem
- 60K NAT Sessions
- 50 Concurrent VPN

5G/LTE/WCDMA (5G model)

5G Band	n1,3,7,8,20,28,38,40,77,78
5G Max. Data Rate	NR SA: 2.4Gbps (DL) / 900Mbps (UL) NR NSA: 3.4Gbps (DL) / 550Mbps (UL)
LTE FDD Band	B1,3,7,8,20,28
LTE TDD Band	B38,40
LTE Category	Cat19 (DL) / Cat18 (UL)
LTE Max. Data Rate	1.6Gbps (DL) / 200Mbps (UL)
WCDMA (3G) Band	B1,8

LTE/WCDMA (4G model)

LTE FDD Band	B1,3,7,8,20,28
LTE TDD Band	B38,40
LTE Category	6
LTE Max. Data Rate	300 Mbps (DL) / 50Mbps (UL)
WCDMA (3G) Band	B1,8

For other band availability, please contact your local DrayTek distributor or us.

	WLAN	4G	5G
Vigor2927L		•	
Vigor2927Lac	•	•	
Vigor2927L-5G		•	•
Vigor2927Lax-5G	•	•	•



Vigor2927Lac

VigorAP 805

AX3000 Dual Band WiFi 6 AP



The VigorAP 805 is a cutting-edge dual-band WiFi 6 access point designed to deliver exceptional wireless performance with a modern aesthetic. With a link rate of 600Mbps on the 2.4GHz band and a 2400Mbps on the 5GHz band, it provides unparalleled connectivity for homes, offices, and high-density environments. Its simple white and cylinder design outer casing makes it look great whether placed on a desk, shelf, or any visible space.

- AX3000 Dual-Band
- Desktop
- 2.5GbE Port

VigorAP 905

2x3 AX3000 Dual Band WiFi 6 AP



VigorAP 905 is 11ax wall-mount/desktop wireless access point with 1x 2.5GbE and 4x 1GbE Ports. With a link rate of 600Mbps on the 2.4GHz band and a 2400Mbps on the 5GHz band, it's suitable for high density environments. It can be cloud-managed by VigorACS, and also act as the mesh Root AP to manage up to 20 devices.

- AX3000 Dual-Band
- Desktop/Wall Mount
- Powered by DC/PoE
- 2.5GbE Port

VigorAP 912C

11ac Dual Band Ceiling-mount AP

VigorAP 912C is a ceiling-mount wireless access point for business networks. It has a capacity of up to 256 concurrent active users, ideal for a high-density environment such as a BYOD workplace. The low-profile appearance and PoE power supply provide the flexibility in deployment.



- AC1200 Dual-Band
- Ceiling/Wall Mount
- Powered by DC/PoE

VigorAP 1062C

4x4 AX6000 Dual Band WiFi 6 Ceiling AP

VigorAP 1062C is a high performance dual-band WiFi 6 Access Point, delivering 1.2Gbps in 2.4GHz and 4.8Gbps* in 5GHz. With it's 2.5GbE port and MU-MIMO technology, it can support up to 256 concurrent clients, making it a perfect choice in high-speed and high-density environments.



- AX6000 Dual-Band
- Ceiling/Wall Mount
- Powered by DC/PoE
- 2.5GbE Port

*5G maximum wireless speeds may vary depending on regional limitations.

VigorAP 962C

2x3 AX3000 Dual Band WiFi 6 Ceiling AP

VigorAP 962C is a dual-band WiFi 6 access point that can deliver fast throughput of up to 2.4 Gbps in the 5GHz band and 600 Mbps in the 2.4GHz band. This access point can support 256 concurrent clients while providing excellent and reliable wireless connectivity. With mesh network support, you can wirelessly extend the WiFi coverage for more flexibility and optimize the WiFi performance.



- AX3000 Dual-Band
- Ceiling/Wall Mount
- Powered by DC/PoE
- 2.5GbE Port

Outdoor

VigorAP 918R Series

11ac Wave 2 Dual-Band PoE Outdoor AP

DrayTek VigorAP 918R Series is a compact outdoor wireless access point. It provides combined link rate up to 1.3 Gbps and a capacity of 200+ active users. The series includes an RPD model, which is equipped with a PoE-Out port to deliver connectivity and power to another network device, such as an IP camera, and the internal 5GHz directional patch antenna can enhance the wireless performance for long-range point-to-point connection.



- AC1300 Dual-Band
- Pole/Wall Mount
- Powered by PoE
- IP67 Rated Waterproof

	PoE Out	Directional Antenna
VigorAP 918R		
VigorAP 918RPD	●	●

VigorSwitch Q60x

2.5GbE/10G SFP+ Multi-gig Unmanaged Switch

VigorSwitch Q60x comes with 5x 2.5G ports for reliable network connectivity. No configuration is needed, just connect more devices to easily and cost-efficiently expand your network. The switch is energy efficient, with a power consumption of only 4.85 watts, and its metal case design enhances heat dissipation. It is also wall-mountable, offering flexible deployment options.

- 5x 2.5G Ports
- 1x 10G Fiber SFP+
- 45G Switching Capacity



VigorSwitch PQ1070x/Q1070x

Smart Lite 2.5GbE Switch

VigorSwitch Q1070x series features 2.5GbE ports for LAN and 10G SFP+ for uplink/downlink. Supporting 802.1q VLAN, Link Aggregation, Storm Control, and Loop Prevention. The PoE model PQ1070x has 5x 2.5G PoE/PoE+ ports with a power budget of 75 watts. Perfect for Smart home/SOHO with needs of network efficiency and security.

- 5x 2.5G Ports
- 2x 10G Fiber SFP+
- 65G Switching Capacity



Smart Lite

VigorSwitch G1080

8-Port Smart Lite Managed Gigabit Switch

DrayTek VigorSwitch G1080 is an extremely compact 8-port smart lite Gigabit switch. It provides basic management including 802.1q VLAN, 802.1p CoS QoS, Link Aggregation, Storm Control, and Loop Prevention. Perfect for Smart home/SOHO with needs of network efficiency and security.

- 8 GbE Ports
- Smart Lite
- 16G Switching Capacity



VigorSwitch PQ1100x/Q1100x

Smart Lite 2.5GbE Switch

VigorSwitch Q1100x series features 2.5GbE ports for LAN and 10G SFP+ for uplink/downlink. Supporting 802.1q VLAN, Link Aggregation, Storm Control, and Loop Prevention. The PoE model PQ1100x has 8x 2.5G PoE/PoE+ ports with a power budget of 90 watts. Perfect for Smart home/SOHO with needs of network efficiency and security.

- 8x 2.5G Ports
- 2x 10G Fiber SFP+
- 80G Switching Capacity



VigorSwitch G1282/P1282/P1281x

Web Smart Gigabit Switch

VigorSwitch G1282/P1282/P1281x is a Web Smart Gigabit switch that brings network security and stability into mid-sized environments. Equipped with enterprise-level features, including IP Conflict Detection & Prevention, ONVIF Surveillance, and ping watchdog.

- Web Smart
- 56G Switching Capacity
- 1U Rackmount



VigorSwitch PQ2121x/Q2121x

L2+ Managed 2.5GbE Switch

VigorSwitch Q2121x/PQ2121x features 2.5GbE ports for LAN and 10G SFP+ for uplink/downlink. Together with WiFi 6 VigorAPs (e.g., VigorAP 1062C), it brings the full WiFi 6 performance to LAN clients. Supporting advanced Layer 3 features, DHCP Server, and VLAN Routing. The PoE model PQ2121x has 8x 2.5G PoE/PoE+ ports with a power budget of 140 watts.

- L2+ Managed
- 120G Switching Capacity
- 1U Rackmount



L2+ Managed

VigorSwitch G2100/P2100

L2+ Managed Switch

DrayTek VigorSwitch G2100/P2100 is a compact Layer 2+ Managed Gigabit switch well-suited for smart home and branch/remote sites. It has 2x GbE SFP ports, 8x Gigabit Ethernet ports, and 1x console port. Featuring Layer 3 features, including DHCP Server and VLAN Routing. Furthermore with IP Conflict Detection & Prevention, ONVIF Surveillance, ping watchdog and a lot more, this is the balanced switch that brings advanced features into small environments.

- L2+ Managed
- 20G Switching Capacity
- 1U Rackmount



VigorSwitch PQ2200x/Q2200xb

L2+ Managed 2.5GbE Switch

VigorSwitch Q2200x series features 2.5GbE ports for LAN and 10G SFP+ for uplink/downlink. Together with WiFi 6 VigorAPs (e.g., VigorAP 1062C), Q2200x series brings the full WiFi 6 performance to LAN clients. Supporting advanced Layer 3 features, DHCP Server and VLAN Routing. The PoE model PQ2200xb has 4 PoE++ ports providing up to 90W per port and 12 PoE+ ports. Supporting advanced Layer 3 features, DHCP Server, and VLAN Routing.

- L2+ Managed
- 160G Switching Capacity
- 1U Rackmount



VigorSwitch G2282x/P2282x

L2+ Managed Switch

VigorSwitch G2282x series is a Layer 2+ Managed 10 Gbps switch. It has 24x Gigabit Ethernet LAN ports and 4x SFP+ 10Gbps Fiber links for uplink/downlink. Besides the fixed AC power input, VigorSwitch 2282x series also provides DC power input as other power source, which helps to ensure uninterrupted operation. Supporting advanced Layer 3 features, including DHCP Server and VLAN Routing.

- L2+ Managed
- 128G Switching Capacity
- Backup DC Power Input
- 1U Rackmount



VigorSwitch G2542x/P2542x/P2542xh

L2+ Managed Switch

DrayTek VigorSwitch 2542x series is a Layer 2+ Managed 10 Gbps switch with 48 Gigabit Ethernet ports and 6 x SFP+ 10Gbps Fiber links. Supporting advanced Layer 3 features, DHCP Server and VLAN Routing. Moreover, it supports VLAN routing to route the inter-VLAN traffic directly, shares loads of the router, and improve overall network performance.

- L2+ Managed
- 216G Switching Capacity
- 1U Rackmount



VigorSwitch PQ2300x/Q2300xb

L2+ Managed 2.5GbE Switch

VigorSwitch Q2300x series is a Layer 2+ Managed 10 Gbps switch. It has 24x 2.5GbE LAN ports and 6x SFP+ 10Gbps Fiber links for uplink/downlink. Besides the fixed AC power input, it also provides DC power input as other power source, which helps to ensure uninterrupted operation. It improves network efficiency and helps your LAN network to work continuously even when the gateway is offline, which is ideal to be placed as the core switch in SME/SMB.

- L2+ Managed
- 240G Switching Capacity
- Backup DC Power Input
- 1U Rackmount



VigorSwitch FX2120

L2+ Managed Switch

VigorSwitch FX2120 is a full 10 Gigabit switch with 12x SFP+ ports for uplink/downlink and 1x console port. It is well-suited for ISP and enterprise network with intensive data transmission. Supporting OpenFlow 1.3, it's also a future-proofed switch that can be operating in either traditional switch or SDN switch mode. It improves local network sustainability and efficiency regardless of the gateway. Furthermore, with IP Conflict Detection & Prevention, ONVIF Surveillance, ping watchdog, and a lot more.


- L2+ Managed
- 240G Switching Capacity
- 1U Rackmount



VigorACS 3

NMS for Vigor Devices

VigorACS 3 is the latest version of DrayTek's Network Management System (NMS). It supports all current DrayTek routers, access points, and switches, providing a integrated platform for configuration, monitoring and management. VigorACS 3 is also the core of the DrayTek SD-WAN solution. It's the central software where Network Administrator can perform configuration, provisioning, and monitoring to the edge routers.




Key Features




DrayTek Router App

- Work with Vigor Router Series
- Setup major Router functions
- Parental control by content/time



DrayTek Wireless App


- Work with VigorAP Series
- Setup Mesh/Wi-Fi
- Parental control by time



VigorConnect

Local Network Management Software for DrayTek Devices


- Discovery**
Automatically discover all VigorAPs/VigorSwitches on your LAN and manage up to 100 devices.
- Provisioning**
Setup the wireless in minutes by pushing configuration a selected APs or all the AP on the network; setup the VLAN or PoE for selected Switches.
- Monitoring**
Get notified when an AP/Switch lost connection or check if there's rogue AP nearby.
- Visibility**
Get network insights about AP/Switch, client, and CPU usage over a specified period.
- Scheduled Maintenance**
Schedule an off-hour firmware upgrade or configure backup/restore.



DrayTek URL Reputation

Threat Intelligence Service

As internet threats continue to rise, organizations must strengthen their defenses. URL Reputation (or the so-called URL filtering) has become a critical tool for security teams to regulate employee access to websites and maintain a secure network environment. We hereby explore, and explain the URL Reputation, its importance, functionality, implementation best practices, challenges, and future advancements.



VigorPoE600

PoE Injector

VigorPoE 600 is a single-port passive PoE injector that delivers both power and data to connected PoE devices through a single cable. It can work with all DrayTek PoE compliant PDs, such as IP Cameras, Access Points, and others. The total power output can reach up to 60.5 watts, especially suitable for advanced PD like VigorAP920RPD or Vigor918RPD which consumes more power.



USB Thermometer

Temperature Sensor for Vigor Router and VigorAP

Help network administrator to monitor the temperature of the server rack. Connecting DrayTek USB Thermometer to the USB port of Vigor Router and Access Point, read the data from the device's web management page, and get email/SMS notifications for threshold breach.



ANT-1205

2.4G/5G Indoor High-Gain Omni-Directional Antenna

DrayTek ANT-1205 is a dual-band antenna, can be a replacement antenna for VigorRouter or VigorAP. The ANT-1205 is compatible with 802.11 a/b/g/n/ac standards, and 802.11 ax (Wi-Fi 6) to provide faster wireless throughput and enhance Wi-Fi performance in both 2.4G/5G. ANT-1205 is supplied in pair and available in black or white color, you can purchase the needed amount according to your Router/AP devices.



Rack Mount Bracket

Standard 19" 1U Rack Mount Kit for Vigor Routers

The rack mount brackets is used for mounting the router onto a 19" standard rack.



DAC-CX10

10G SFP+ Direct Attach Passive Copper Cable

DAC-CX10 is designed for providing high-speed data link via copper wire and support both Gigabit and 10 Gigabit Ethernet data rate, compatible to SFP+ MSA to meet Fiber Channel industry standard requirements to ensure performance and reliability.

It is available in 2 models, **DAC-CX10-1m** (Length:1m) and **DAC-CX10-3m** (Length:3m).



DAM-FX10-20K Series

10G SFP+ Module

DAM-FX10-20K Series is an SFP+ Optical single transceiver. It is a small form-factor pluggable transceiver and is designed for use in 10 Gigabit Ethernet connection for a distance of up to 20km over a single SFP+ Module.

DAM-FX10-20K Series provides a high-performance and cost-effective solution, which is ideal for long-distance fiber connectivity. It is available in 2 types, **DAM-FX10-20K-A** (Type A) and **DAM-FX10-20K-B** (Type B).



DAM-EX10-30m

10G Base-T RJ45 SFP+ Module

DAM-EX10-30m transceiver is a compact pluggable SFP+ transceiver that supports multiple connectivity options, including 1G BASE-T, 2.5G BASE-T, 5G BASE-T, and 10G BASE-T. Its Hot-Pluggable SFP+ Footprint feature ensures easy installation. This transceiver is suitable for distances up to 30 meters over Cat 5e/Cat 6a copper cables via RJ-45 connector, providing a cost-effective solution for enterprises to establish connections within racks or other copper interfaces.



Broadband Router

		Vigor2136 series		Vigor2927 series				Vigor2962	Vigor3912 series
		2136	2136ax	2927	2927ac	2927Vac	2927ax	2962	3912/S
WAN	Fixed WAN	1 x 2.5GbE		1 x GbE					
	Switchable WAN/LAN	1 x 2.5GbE		1 x GbE				1x 2.5GbE + 2x GbE + 1x GbE/SFP Combo	2x 2.5GbE + 4x GbE + 2x SFP+
LAN	Fixed LAN	3 x GbE		5 x GbE				2 x GbE	4 x GbE
	LAN Subnet	4		8				20	100
	DMZ Port			1					
USB Port		2		2				2	2
WLAN	Standard		11a/b/g/n/ac wave 2/ax		11a/b/g/n/ac wave 2		11a/b/g/n/ac wave 2/ax		
	2.4GHz		•		•				
	5GHz		•		•				
	Mesh		•		•				
VPN	Max. VPN	4		50				200	500
	Max. SSL VPN			25				50	200
	VPN Matcher			•				•	•
Routing	Static Route	•		•				•	•
	Policy Route	•		•				•	•
	RIP	•		•				•	•
	BGP	•		•				•	•
	OSPF	•		•				•	•
Content Filter	APP, Web Category, DNS Keyword	•		•				•	•
	URL Keyword	•		•				•	•
NAT Sessions		50K		60K				300K	1000K
Bandwidth Management		•		•				•	•
DrayDDNS		•		•				•	•
VoIP				•					
VPN Management				8					
AP Management		20		20				50	50
Switch Management		5		10				30	30

xDSL Router

		Vigor160 series		Vigor2765 series			
		166	167	2765	2765ac	2765Vac	2765ax
WAN	Fixed WAN Port	1 x ADSL/VDSL /35b/G.Fast	1 x ADSL/VDSL /35b	1 x ADSL/VDSL/35b			
	WAN/LAN Switchable Port			1 x GbE			
LAN	Fixed LAN Port	2 x GbE		3 x GbE			
	LAN Subnet	1		4			
	DMZ Port						
USB Port				2			
WLAN	Standard				11a/b/g/n/ac wave 2		11a/b/g/n/ac wave 2/ax
	2.4GHz				•		
	5GHz				•		
	Mesh				•		
VPN	Max. VPN			2			
	Max. SSL VPN			2			
	VPN Matcher			•			
Routing	Static Route	•		•			
	Policy Route			•			
	RIP	•		•			
	BGP						
	OSPF						
Content Filter	APP, Web Category, DNS Keyword			•			
	URL Keyword	•		•			
NAT Sessions		10K		50K			
Bandwidth Management				•			
DrayDDNS				•			
VoIP						•	
VPN Management							
AP Management				2			
Switch Management							

xDSL Router

		Vigor2766 series				Vigor2767 series		Vigor2865 series				Vigor2866 series			
		2766	2766ac	2766Vac	2766ax	2767	2767ax	2865	2865ac	2865Vac	2865ax	2866	2866ac	2866Vac	2866ax
WAN	Fixed WAN Port	1 x ADSL/VDSL/35b/G.Fast				1 x ADSL/VDSL/35b		1 x ADSL/VDSL/35b				1 x ADSL/VDSL/35b/G.Fast			
	WAN/LAN Switchable Port	1 x GbE				1 x 2.5GbE		1 x GbE				1 x GbE			
LAN	Fixed LAN Port	3 x GbE				3 x GbE		5 x GbE				5 x GbE			
	LAN Subnet	4				4		8				8			
	DMZ Port							1				1			
USB Port		2				2		2				2			
WLAN	Standard		11a/b/g/n/ ac wave 2	11a/b/g/n/ ac wave 2/ax		11a/b/g/n/ ac wave 2/ax		11a/b/g/n/ ac wave 2	11a/b/g/n/ ac wave 2/ax			11a/b/g/n/ ac wave 2	11a/b/g/n/ ac wave 2/ax		
	2.4GHz		•			•		•				•			
	5GHz		•			•		•				•			
	Mesh		•			•		•				•			
VPN	Max. VPN	2				4		32				32			
	Max. SSL VPN	2						16				16			
	VPN Matcher	•						•				•			
Routing	Static Route	•				•		•				•			
	Policy Route	•				•		•				•			
	RIP	•				•		•				•			
	BGP					•		•				•			
	OSPF					•									
Content Filter	APP, Web Category, DNS Keyword	•				•		•				•			
	URL Keyword	•				•		•				•			
NAT Sessions		50K				50K		60K				60K			
Bandwidth Management		•				•		•				•			
DrayDDNS		•				•		•				•			
VoIP			•					•					•		
VPN Management								8				8			
AP Management		2				20		20				20			
Switch Management						5		10				10			

Access Point

		AP805	AP905	AP912C	AP962C	AP1062C	AP918R	AP918RPD
Band	2.4GHz	•	•	•	•	•	•	•
	5GHz	•	•	•	•	•	•	•
Max. Link Rate (Mbps)		600+2400	600+2400	300 + 867	600+2400	1200+4800	400 + 867	400 + 867
Max. Clients		256	256	256	256	256	256	256
WiFi 6		•	•	•	•	•		
Antenna		Internal	External	Internal	Internal	Internal	External	External + Internal
Max. Number of SSID (per band)		16 (8)	16 (8)	8 (4)	16 (8)	16 (8)	8 (4)	8 (4)
Roaming		•	•	•	•	•	•	•
AirTime Fairness		•	•	•	•	•	•	•
Band Steering		•	•	•	•	•	•	•
Built-in RADIUS Server				•			•	•
Hotspot Web Portal				•			•	•
802.1q tag-based VLAN		•	•	•	•	•	•	•
Port	1 GbE	1	4	1			1	2
	2.5 GbE	1	1		1	1		
USB Port			1					
Environment		Indoor	Indoor	Indoor	Indoor	Indoor	Outdoor	Outdoor
Mounting (Desktop/Wall/Ceiling/Pole)		D	D/W	C/W	C/W	C	P/W	P/W
Power via		DC	DC / PoE	DC / PoE	DC / PoE	DC / PoE	PoE	PoE
PoE Input			•	•	•	•	•	•
PoE Output								•
Mesh		Root, Node	Root, Node	Root, Node	Root, Node	Root, Node	Root, Node	Root, Node
Central AP Mgmt.		20	20	20	20	50		

Switch

		Unmanaged	Smart Lite				Web Smart			
		Q60x	G1080	PQ1070x	Q1070x	PQ1100x	Q1100x	G1282	P1282	P1281x
Ports	RJ-45	5 x 2.5GbE	8 x GbE	5 x 2.5GbE	5 x 2.5GbE	8 x 2.5GbE	8 x 2.5GbE	24 x GbE	24 x GbE	24 x GbE
	SFP	1 (SFP+)		2 (SFP+)	2 (SFP+)	2 (SFP+)	2 (SFP+)			4 (SFP+)
	SFP/GbE Combo							4	4	
	Console									
PoE	Ports			5 PoE+		8 PoE+			24 PoE+	24 PoE+
	Power Budget (watts)			75		120			400	140
LAN	Spanning Tree			STP, RSTP		STP, RSTP		STP, RSTP		
	ONVIF Surveillance							•	•	•
VLAN	Tag-Based		•	•	•	•	•	•	•	•
	MAC-Based							•	•	•
	Voice & Surveillance VLAN							•	•	•
	GVRP									
	QinQ (Basic)									
Layer3 Features	Static Route									
	VLAN Route									
	DHCP Server									
Multicast	IGMP Snooping		v2	v2		v2		v2, v3(BISS)		
	IGMP Querier							•	•	•
QoS	Number of QoS Queues		4	7	7	7	7	8	8	8
	Rate Limiting		•	•	•	•	•	•	•	•
Security	IP Conflict Prevention							•	•	•
	IPSG							•	•	•
	Access Control							•	•	•
	DAI									
Management	sFlow									
	SNMP							v1/v2c/v3		
	LLDP			•	•	•	•	•	•	•
	SWM		•					•	•	•

Switch

		L2+ Managed								L2+ Managed				
		G2100	P2100	PQ2121x	Q2121x	PQ2200xb	Q2200x	G2282x	P2282x	PQ2300xb	Q2300x	G2542x	P2542x/xh	FX2120
Ports	RJ-45	8 x GbE	8 x GbE	8 x 2.5GbE	8 x 2.5GbE	16 x 2.5GbE	16 x 2.5GbE	24 x GbE	24 x GbE	24 x 2.5GbE	24 x 2.5GbE	48 x GbE	48 x GbE	
	SFP	2	2	4 (SFP+)	4 (SFP+)	4 (SFP+)	4 (SFP+)	4 (SFP+)	4 (SFP+)	6 (SFP+)	6 (SFP+)	6 (SFP+)	6 (SFP+)	12 (SFP+)
	SFP/GbE Combo													
	Console	•	•	•	•	•	•	•	•	•	•	•	•	•
PoE	Ports		8 PoE+	8 PoE+		4 PoE++ & 12 PoE+			24 PoE+	8 PoE++ & 16 PoE+			48 PoE+	
	Power Budget (watts)		140	140		400			400	400			400/720	
LAN	Spanning Tree	STP, RSTP, MSTP		STP, RSTP, MSTP		STP, RSTP, MSTP		STP, RSTP, MSTP		STP, RSTP, MSTP		STP, RSTP, MSTP		STP, RSTP, MSTP
	ONVIF Surveillance	•	•	•	•	•	•	•	•	•	•	•	•	•
VLAN	Tag-Based	•	•	•	•	•	•	•	•	•	•	•	•	•
	MAC-Based	•	•	•	•	•	•	•	•	•	•	•	•	•
	Voice & Surveillance VLAN	•	•	•	•	•	•	•	•	•	•	•	•	•
	GVRP	•	•	•	•	•	•	•	•	•	•	•	•	•
	QinQ (Basic)	•	•	•	•	•	•	•	•	•	•	•	•	•
Layer3 Features	Static Route	•	•	•	•	•	•	•	•	•	•	•	•	•
	VLAN Route	•	•	•	•	•	•	•	•	•	•	•	•	•
	DHCP Server	•	•	•	•	•	•	•	•	•	•	•	•	•
Multicast	IGMP Snooping	v2, v3(BISS)		v2, v3(BISS)		v2, v3(BISS)		v2, v3(BISS)		v2, v3(BISS)		v2, v3(BISS)		v2, v3 (BISS)
	IGMP Querier	•	•	•	•	•	•	•	•	•	•	•	•	•
QoS	Number of QoS Queues	8	8	8	8	8	8	8	8	8	8	8	8	8
	Rate Limiting	•	•	•	•	•	•	•	•	•	•	•	•	•
Security	IP Conflict Prevention	•	•	•	•	•	•	•	•	•	•	•	•	•
	IPSG	•	•	•	•	•	•	•	•	•	•	•	•	•
	Access Control	•	•	•	•	•	•	•	•	•	•	•	•	•
	DAI	•	•	•	•	•	•	•	•	•	•	•	•	•
Management	sFlow			•	•	•	•	•	•	•	•	•	•	•
	SNMP	v1/v2c/v3		v1/v2c/v3		v1/v2c/v3		v1/v2c/v3		v1/v2c/v3		v1/v2c/v3		v1/v2c/v3
	LLDP	•	•	•	•	•	•	•	•	•	•	•	•	•
	SWM	•	•	•	•	•	•	•	•	•	•	•	•	•